

# 80 PLUS Verification and Testing Report


<b>TYPICAL EFFICIENCY (50% Load):</b>	<b>84.93%</b>
<b>AVERAGE EFFICIENCY :</b>	<b>82.92%</b>
<b>80 PLUS COMPLIANT:</b>	<b>YES</b>



<b>Ecos ID #</b>	389
<b>Manufacturer</b>	FSP
<b>Model Number</b>	FSP400-62PFB
<b>Serial Number</b>	NA
<b>Year</b>	2007
<b>Type</b>	ATX12V
<b>Test Date</b>	10/3/2007



Rated Specifications	Value	Units
Input Voltage	100-240	Volts
Input Current	6	Amps
Input Frequency	50-60	Hz
<b>Rated Output Power</b>	<b>400</b>	<b>Watts</b>

Note: All measurements were taken with input voltage at 115 V nominal and 60 Hz.



Input AC Current Waveform (ITHD = 7.1%, 50% Load)

I <sub>RMS</sub> A	PF	I <sub>THD</sub> (%)	Load (%)	Fraction of Load	Input Watts	DC Terminal Voltage (V)/ DC Load Current (A)					Output Watts	Efficiency %
						12V (cumulative of 12V1, 12V2, etc.)	-12V	3.3V	5V*	5VSB		
0.87	0.98	7.9%	20%	Light	98	12.2/4.6	12.1/0.1	3.3/2.6	5.1/2.6	5/0.5	81	82.43%
2.08	0.99	7.1%	50%	Typical	237	12.1/11.5	12.2/0.2	3.2/6.5	5/6.5	5/1.2	201	84.93%
4.26	1.00	4.6%	100%	Full	489	12/22.9	12.3/0.5	3.1/12.9	5/12.9	4.9/2.5	398	81.39%



These tests were conducted by a third party independent testing firm on behalf of the 80 PLUS® Program. 80 PLUS is a certification program to promote highly-efficient power supplies (greater than 80% efficiency in the active mode) in technology applications. <http://www.80plus.org/>

